UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/714,175	11/14/2003	Atsuhiro Sakurai	TI-35254	2913
23494 7590 07/25/2008 TEXAS INSTRUMENTS INCORPORATED			EXAMINER	
POBOX 6554		FLANDERS, ANDREW C		
DALLAS, TX 75265			ART UNIT	PAPER NUMBER
			2615	
			NOTIFICATION DATE	DELIVERY MODE
			07/25/2008	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

uspto@ti.com uspto@dlemail.itg.ti.com

	Application No.	Applicant(s)		
	10/714,175	SAKURAI ET AL.		
Office Action Summary	Examiner	Art Unit		
	ANDREW C. FLANDERS	2615		
The MAILING DATE of this communication ap Period for Reply	opears on the cover sheet with the o	correspondence address		
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING [- Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication If NO period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by statul Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION .136(a). In no event, however, may a reply be tired will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).		
Status				
Responsive to communication(s) filed on <u>05 I</u> This action is FINAL . 2b) ☑ This action is application is in condition for allowated closed in accordance with the practice under	is action is non-final. ance except for formal matters, pro			
Disposition of Claims				
4) Claim(s) 1-6 is/are pending in the application. 4a) Of the above claim(s) is/are withdra 5) Claim(s) 2 and 5 is/are allowed. 6) Claim(s) 1,3,4 and 6 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/	awn from consideration.			
9) ☐ The specification is objected to by the Examin 10) ☑ The drawing(s) filed on 14 November 2003 is/ Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the E	are: a)⊠ accepted or b)⊡ object e drawing(s) be held in abeyance. Se ction is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119				
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 				
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate		

Page 2

DETAILED ACTION

Response to Arguments

Applicant's arguments, see the Appeal Brief, filed 05 May 2008, with respect to the claims have been fully considered and are persuasive. The rejection of the claims has been withdrawn and prosecution is hereby reopened.

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1, 3, 4 and 6 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1, 4, 5 and 8 of U.S. Patent No.

7,328,076. Although the conflicting claims are not identical, they are not patentably distinct from each other because claims 1, 4, 5 and 8 of the '076 Patent anticipate claims 1, 3, 4 and 6 of the instant application.

Page 3

Claims 1 and 4 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1 and 7 of U.S. Patent No. 6,982,377. Although the conflicting claims are not identical, they are not patentably distinct from each other because claims 1 and 7 of the '377 Patent anticipate claims 1 and 4 of the instant application.

Claims 1 and 4 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1 and 4 of copending Application No. 10/739,677. Although the conflicting claims are not identical, they are not patentably distinct from each other because claims 1 and 4 of the '677 Application anticipate claims 1 and 4 of the instant application.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Claims 1 and 4 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 3 and 9 of copending Application No. 11/248,078. Although the conflicting claims are not identical,

Application/Control Number: 10/714,175 Page 4

Art Unit: 2615

they are not patentably distinct from each other because claims 3 and 9 of the '078 Application anticipate claims 1 and 4 of the instant application.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Claims 1 and 4 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 3 and 7 of copending Application No. 11/248,132. Although the conflicting claims are not identical, they are not patentably distinct from each other because claims 3 and 7 of the '132 Application anticipate claims 1 and 4 of the instant application.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Claims 1 and 4 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1 and 9 of copending Application No. 10/739,819. Although the conflicting claims are not identical, they are not patentably distinct from each other because claims 1 and 9 of the '819 Application anticipate claims 1 and 4 of the instant application.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Allowable Subject Matter

Page 5

Claims 2 and 5 are allowed.

Claims 2 and 5 were previously amended into independent form including the limitations previously indicated as allowable. Claims 2 and 5 overcome the prior art by including an equation not taught nor made obvious by the prior art of record. (see also remarks dated 23 October 2007 regarding this equation).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to ANDREW C. FLANDERS whose telephone number is (571)272-7516. The examiner can normally be reached on M-F 8:30 - 5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Suhan Ni can be reached on (571) 272-7505. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/714,175

Page 6

Art Unit: 2615

/Andrew C Flanders/ Patent Examiner Art Unit 2615

/Suhan Ni/

Primary Examiner, Art Unit 2614